



ASHTA Chemicals Inc.
P.O. Box 858, Ashtabula, Ohio 44005
(440) 997-5221
ashtachemicals.com

Product Sheet

Issued: January 13, 2012
Revision:
Date of Last Revision:
Replaces:

Document: Hydrochloric Acid 20Be
Sheet 1 of 1

Hydrochloric Acid 20Be Technical Grade

Parameter	Specifications	Reference Methods
Assay, as Wt % HCl	31.45 - 32.56	ASTM: E-224-88
Specific Gravity@15.5C	1.1600 - 1.1656	ASTM: E-224-88
Degrees Baume Gravity	20.0° - 20.6°	ASTM: E-224-88
Color, APHA Units	15 APHA Max.	SMEWW: 2120 B-92
Iron, ppm	5 ppm Max.	ASTM: E224-88
Total Organic Carbon	5 ppm Max.	SMEWW: 5310 B

Note: Kashruth endorsed Orthodox Pareve Kosher

(Controlled copy)



Product Sheet

Issued: January 1, 2013
Revision:
Date of Last Revision:
Replaces:

Document: Hydrochloric Acid 22Be
Sheet 1 of 1

Hydrochloric Acid 22Be Technical Grade

Parameter	Specifications	Reference Methods
Assay, as Wt % HCl	35.21 - 36.5%	ASTM: E-224-88
Specific Gravity@15.5C	1.1789 - 1.1856	ASTM: E-224-88
Degrees Baume Gravity	22.0° - 22.7°	ASTM: E-224-88
Color, APHA Units	15 APHA Max.	SMEWW: 2120 B-92
Iron, ppm	5 ppm Max.	ASTM: E224-88
Total Organic Carbon	5 ppm Max.	SMEWW: 5310 B

Note: Kashruth endorsed Orthodox Pareve Kosher

(Controlled copy)